

Orangutan - Improvement #1089

Migrate to contexts dependencies/relations from weights

03 Nov 2010 12:10 - Andriy Lesyuk

Status:	Open	Start date:	03 Nov 2010
Priority:	Minor	Due date:	
Assignee:	Andriy Lesyuk	% Done:	0%
Category:	Core	Estimated time:	0.00 hour
Target version:	2.00		
Description			
<p>When the project started I decided to use "weight" for contexts sorting in queue because it was easier... Now I needed to change all weight to "normalize" them. Besides if users begin write their own contexts there will be conflicts in weights. So now it seems better to use dependencies.</p> <p>This means that "weight" member is to be removed and replaced with two or more members, e.g.:</p> <pre>... after => ['Number', 'YesNo'], before => 'Task', requires => ['Number', 'YesNo'] ...</pre>			
Related issues:			
Related to Orangutan - Enhancement #1601: Configuring contexts weights		Incomplete	02 Feb 2011 02 Feb 2011

History

#1 - 02 Feb 2011 16:31 - Andriy Lesyuk

- Target version set to 2.00

#2 - 03 Feb 2011 12:17 - Andriy Lesyuk

In addition to above conflicts should be added (maybe refer to Debian packages structure which has similar relations).

#3 - 03 Feb 2011 19:31 - Andriy Lesyuk

- Subject changed from *Replace weight sorting with dependency based sorting* to *Migrate to contexts dependencies/relations from weights*