

Hooks Manager - Bug #1785

Multiple migrate_plugins calls fails

11 Jun 2011 19:30 - Pedro Algarvio

Status:	Won't Fix	Start date:	11 Jun 2011
Priority:	Normal	Due date:	17 Jun 2011
Assignee:	Andriy Lesyuk	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		External issue:	
Redmine version:			

Description

Multiple calls to rake db:migrate_plugins RAILS_ENV="production" fails, at least on a Postgres database.

```
# rake db:migrate_plugins RAILS_ENV="production" --trace
(in /usr/share/redmine)
** Invoke db:migrate_plugins (first_time)
** Invoke environment (first_time)
** Execute environment
** Execute db:migrate_plugins
Migrating engines...
Migrating acts_as_activity_provider...
Migrating acts_as_attachable...
Migrating acts_as_customizable...
Migrating acts_as_event...
Migrating acts_as_list...
Migrating acts_as_searchable...
Migrating acts_as_tree...
Migrating acts_as_versioned...
Migrating acts_as_watchable...
Migrating awesome_nested_set...
Migrating classic_pagination...
Migrating google_analytics_plugin...
Migrating gravatar...
Migrating open_id_authentication...
Migrating prepend_engine_views...
Migrating recaptcha...
Migrating redmine-mylyn-connector...
Migrating redmine-openid-selector...
Migrating redmine_bots_filter...
Migrating rfpdf...
Migrating ruby-net-ldap-0.0.4...
Migrating sense...
== CreateGoogleAds: migrating =====
-- create_table(:google_ads)
NOTICE: CREATE TABLE will create implicit sequence "google_ads_id_seq1" for serial column "google_
_ads.id"
rake aborted!
An error has occurred, this and all later migrations canceled:

PGError: ERROR: relation "google_ads" already exists
: CREATE TABLE "google_ads" ("id" serial primary key, "hook" character varying(255) NOT NULL, "htm
l_code" text NOT NULL)
/usr/lib/ruby/1.8/active_record/connection_adapters/abstract_adapter.rb:227:in `log'
/usr/lib/ruby/1.8/active_record/connection_adapters/postgresql_adapter.rb:520:in `execute'
/usr/lib/ruby/1.8/active_record/connection_adapters/abstract/schema_statements.rb:109:in `create_t
able'
/usr/lib/ruby/1.8/active_record/migration.rb:352:in `send'
/usr/lib/ruby/1.8/active_record/migration.rb:352:in `method_missing'
/usr/lib/ruby/1.8/active_record/migration.rb:328:in `say_with_time'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/1.8/active_record/migration.rb:328:in `say_with_time'
```

```
/usr/lib/ruby/1.8/active_record/migration.rb:348:in `method_missing'  
/usr/share/redmine/vendor/plugins/sense/db/migrate/001_create_google_ads.rb:4:in `up_without_bench  
marks'  
/usr/lib/ruby/1.8/active_record/migration.rb:282:in `send'  
/usr/lib/ruby/1.8/active_record/migration.rb:282:in `migrate'  
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'  
/usr/lib/ruby/1.8/active_record/migration.rb:282:in `migrate'  
/usr/lib/ruby/1.8/active_record/migration.rb:365:in `__send__'  
/usr/lib/ruby/1.8/active_record/migration.rb:365:in `migrate'  
/usr/lib/ruby/1.8/active_record/migration.rb:491:in `migrate'  
/usr/lib/ruby/1.8/active_record/migration.rb:565:in `call'  
/usr/lib/ruby/1.8/active_record/migration.rb:565:in `ddl_transaction'  
/usr/lib/ruby/1.8/active_record/connection_adapters/abstract/database_statements.rb:136:in `transa  
ction'  
/usr/lib/ruby/1.8/active_record/transactions.rb:182:in `transaction'  
/usr/lib/ruby/1.8/active_record/migration.rb:565:in `ddl_transaction'  
/usr/lib/ruby/1.8/active_record/migration.rb:490:in `migrate'  
/usr/lib/ruby/1.8/active_record/migration.rb:477:in `each'  
/usr/lib/ruby/1.8/active_record/migration.rb:477:in `migrate'  
/usr/lib/ruby/1.8/active_record/migration.rb:401:in `up'  
/usr/lib/ruby/1.8/active_record/migration.rb:383:in `migrate'  
/usr/share/redmine/vendor/plugins/engines/lib/engines/plugin/migrator.rb:20:in `migrate_plugin'  
/usr/share/redmine/config/./vendor/plugins/engines/lib/engines/plugin.rb:93:in `migrate'  
/usr/share/redmine/lib/tasks/migrate_plugins.rake:8  
/usr/share/redmine/lib/tasks/migrate_plugins.rake:5:in `each'  
/usr/share/redmine/lib/tasks/migrate_plugins.rake:5  
/usr/lib/ruby/1.8/rake.rb:636:in `call'  
/usr/lib/ruby/1.8/rake.rb:636:in `execute'  
/usr/lib/ruby/1.8/rake.rb:631:in `each'  
/usr/lib/ruby/1.8/rake.rb:631:in `execute'  
/usr/lib/ruby/1.8/rake.rb:597:in `invoke_with_call_chain'  
/usr/lib/ruby/1.8/monitor.rb:242:in `synchronize'  
/usr/lib/ruby/1.8/rake.rb:590:in `invoke_with_call_chain'  
/usr/lib/ruby/1.8/rake.rb:583:in `invoke'  
/usr/lib/ruby/1.8/rake.rb:2051:in `invoke_task'  
/usr/lib/ruby/1.8/rake.rb:2029:in `top_level'  
/usr/lib/ruby/1.8/rake.rb:2029:in `each'  
/usr/lib/ruby/1.8/rake.rb:2029:in `top_level'  
/usr/lib/ruby/1.8/rake.rb:2068:in `standard_exception_handling'  
/usr/lib/ruby/1.8/rake.rb:2023:in `top_level'  
/usr/lib/ruby/1.8/rake.rb:2001:in `run'  
/usr/lib/ruby/1.8/rake.rb:2068:in `standard_exception_handling'  
/usr/lib/ruby/1.8/rake.rb:1998:in `run'  
/usr/bin/rake:28
```

History

#1 - 11 Jun 2011 22:46 - Pedro Algarvio

I had to manually insert "1-sense" into the migrations table

#2 - 12 Jun 2011 11:27 - Andriy Lesyuk

- Status changed from New to Incomplete

- Assignee set to Andriy Lesyuk

This usually happens when migrate script is called from another plugin (run from different plugin directory name .e.g) or renamed... Was anything like this?

In any way it does not look to be a plugin problem.

#3 - 12 Jun 2011 11:30 - Pedro Algarvio

Andriy Lesyuk wrote:

This usually happens when migrate script is called from another plugin (run from different plugin directory name .e.g) or renamed... Was anything like this?

In any way it does not look to be a plugin problem.

Well, probably. Initially I checked out the plugin as google_ads I think, and then renamed it to sense when I found out that that was it's name.

#4 - 17 Jun 2011 10:39 - Andriy Lesyuk

- *Due date set to 17 Jun 2011*

- *Status changed from Incomplete to Won't Fix*

So let's close this bug as far as it's a common installation issue and not plugin bug...

#5 - 31 Jul 2013 13:48 - Andriy Lesyuk

- *Target version deleted (1.0.0)*